

Appendix F HAZARDOUS STUMP EXTRACTION AND REMOVAL ELIGIBILITY



FEMA

RECOVERY POLICY - RP9523.11

I. TITLE: Hazardous Stump Extraction and Removal Eligibility

II. DATE: May 1, 2006

III. PURPOSE:

Establish criteria used to reimburse applicants for removing eligible hazardous stumps from public or, where authorized, private property.

IV. SCOPE AND AUDIENCE:

The policy is applicable to all major disasters and emergencies declared on or after the date of publication. It is intended for all personnel involved in the administration and execution of the Public Assistance Program, including applicants.

V. AUTHORITY:

Sections 403 and 407 of the Robert T. Stafford Disaster Relief and Emergency Assistance Act, 42 U.S.C. 5121-5206, as amended.

VI. BACKGROUND:

Public Assistance regulations authorize reimbursement for the removal of debris from public and private land when it is in the public interest. Such removal is in the public interest when it is necessary to: eliminate immediate threats to life, public health and safety, or eliminate immediate threats of significant damage to improved public or private property; or to ensure economic recovery of the affected community to the benefit of the community at large. Trees that are uprooted during a disaster event such that all or part of their roots are exposed may pose an immediate threat to public health and safety.

VII. POLICY:

A. When a disaster event uproots a tree or stump (i.e., 50% or more of root ball is exposed) on a public right-of-way, improved public property or improved property owned by certain private nonprofit organizations, and the exposed root ball poses an immediate threat to life, public health and safety, FEMA may provide supplemental assistance to remove, transport, dispose, and provide fill for the root cavity of an eligible uprooted tree or stump. The Federal Emergency Management Agency (FEMA) will reimburse applicants reasonable costs for this type of work only when uprooted stumps are more than 24 inches in diameter (measured two



FEMA

RECOVERY POLICY - RP9523.11

feet from the ground), with the consensus of the Applicant and the State, and is approved in advance by FEMA, using the attached Hazardous Stump Worksheet.

1. If it is necessary to remove an uprooted stump before it can be inspected by FEMA because it poses a threat that must be dealt with immediately, the applicant must submit documentation, to FEMA including photographs, that establishes its location on public property, specifics on the threat, stump diameter measured two feet up the trunk from the ground, quantity of material to fill the hole, and any special circumstances.

2. FEMA will reimburse applicants for extraction, transport and disposal of stumps with a diameter of 24 inches or smaller at the unit cost rate for regular vegetative debris, using the attached Stump Conversion Table, as such stumps do not require special equipment.

3. FEMA will reimburse applicants at the unit cost rate (usually cubic yards) for normal debris removal for all stumps, regardless of size, placed on the rights-of-way by others (i.e., contractors did not extract them from public property or property of eligible Private Non Profit organization). In such instances, applicants do not incur additional cost to remove these stumps – the same equipment is used to pick up "regular" debris can be used to pick up these stumps.

4. If an applicant incurs additional costs in picking up large stumps (over 24 inches in diameter) from rights-of-way, it should complete the Hazardous Stump Worksheet and present documentation to FEMA in advance for consideration.

5. Stumps with less than 50% of their root ball exposed should be cut flush at ground level, and the cut portion included with regular vegetative debris. Straightening or bracing of trees is not eligible for reimbursement.

VIII. ORIGINATING OFFICE: Recovery Division (Public Assistance Branch)

IX. SUPERSESSION: This Policy Directive supersedes all previous guidance on this subject.

X REVIEW DATE: ~~Three years from the date of publication.~~

David Garratt
Acting Director of Recovery
Federal Emergency Management Agency

HAZARDOUS STUMP EXTRACTION AND REMOVAL ELIGIBILITY

Stump Conversion Table

Diameter to Volume Capacity

The quantification of the cubic yards of debris for each size of stump in the following table was derived from FEMA field studies conducted throughout the State of Florida during the debris removal operations following Hurricanes Charley, Frances, Ivan and Jeanse. The following formula is used to derive cubic yards:

$$\frac{[(\text{Stump Diameter}^2 \times 0.7854) \times \text{Stump Length}] + [(\text{Root Ball Diameter}^2 \times 0.7854) \times \text{Root Ball Height}]}{46656}$$

0.7854 is one-fourth Pi and is a constant.

46656 is used to convert cubic inches to cubic yards and is a constant

The formula used to calculate the cubic yardage used the following factors, based upon findings in the field:

- Stump diameter measured two feet up from ground
- Stump diameter to root ball diameter ratio of 1:3.6
- Root ball height of 31"

Stump Diameter (Inches)	Debris Volume (Cubic Yards)	Stump Diameter (Inches)	Debris Volume (Cubic Yards)
6	0.3	46	15.2
7	0.4	47	15.8
8	0.5	48	16.5
9	0.6	49	17.2
10	0.7	50	17.9
11	0.9	51	18.6
12	1	52	19.4
13	1.2	53	20.1
14	1.4	54	20.9
15	1.6	55	21.7
16	1.8	56	22.5
17	2.1	57	23.3
18	2.3	58	24.1
19	2.6	59	24.9
20	2.9	60	25.8
21	3.2	61	26.7
22	3.5	62	27.6
23	3.8	63	28.4
24	4.1	64	29.4
25	4.5	65	30.3
26	4.8	66	31.2
27	5.2	67	32.2
28	5.6	68	33.1
29	6	69	34.1
30	6.5	70	35.1
31	6.9	71	36.1
32	7.3	72	37.2
33	7.8	73	38.2
34	8.3	74	39.2
35	8.8	75	40.3
36	9.3	76	41.4
37	9.8	77	42.5
38	10.3	78	43.6
39	10.9	79	44.7
40	11.5	80	45.9
41	12	81	47
42	12.6	82	48.2
43	13.3	83	49.4
44	13.9	84	50.6
45	14.5		

Appendix F

Hazardous Stump Worksheet

Applicant: _____ Date: _____

Applicant Representative: _____ Signature: _____

FIEMA Representative (if available): _____ Signature: _____

State Representative (if available): _____ Signature: _____

	Physical Location (i.e., Street address, road, cross streets, etc.)	Description of Facility (ROW, Park, City Hall, etc.)	Hazard		GPS (decimal degrees, 00.000000)		Tree Size (Diameter)	Eligible		Fill For Debris Stumps	Comments (See attached sketch, photo, etc.)
			Yes	No	Latitude (N)	Longitude (W)		Yes	No		
1											
2											
3											
4											
5											
6											
7											
8											
9											
10											